

ALABAMA DEPARTMENT OF TRANSPORTATION

General Application Special Provision

DATE: February 21, 2023

GASP No. 22-GA0025(2)

EFFECTIVE DATE: September 1, 2023

SUBJECT: Soil Nail Retaining Wall.

Alabama Standard Specifications, 2022 Edition, SECTION 570 shall be amended as follows:

SECTION 570 SOIL NAIL RETAINING WALL

570.02 Materials.

(i) Cement.

Article 570.02(i) shall be replaced with the following:

(i) Cement.

Cement shall meet the requirements given in Section 815 and shall be Type I, Type II, Type IP, Type IS or Type III.

570.05 Approved List of Soil Nail Wall Specialty Contractors.

Article 570.05 shall be replaced with the following:

570.05 Approved List of Soil Nail Wall Specialty Contractors.

The following soil nail wall design-build specialty Contractors are approved:

Richard Goettle, Inc. 12071 Hamilton Ave. Cincinnati, OH 45231 Rick Slack Phone: 513-825-8100	Keller North America, Inc. 2 Perimeter Park South, Suite 229E Birmingham, AL 35243 William Wright, P.E. Phone: 205-890-9210	Schnabel Foundation Co. 1654 Lower Roswell Road Marietta, GA 30068 Stephen Dimino Phone: 770-971-6455
F & W Construction PO Box 1549 Ozark, AL 36361 Phone: 334-774-2678	GeoStabilization International 2841 North Avenue Grand Junction, CO 81501 Reid Bailey Phone: 423-619-8576 www.geostabilization.com	Russo Corporation 1421 Mims Avenue SW Birmingham, AL 35211 Phone: 205-923-4434 www.russocorp.com

Other soil nail wall specialty Contractors will be given consideration for approval. Consideration for approval will be given to specialty Contractors that can provide documentation that they have successfully designed and constructed at least 3 projects in the last 3 years where the construction of permanent soil nail retaining walls totals at least 1000 square yards of wall face area and at least 500 permanent soil nails.